

B & S Products Corp.

1917 Eisenhower Drive N. · Goshen, IN 46526
574/537-0770**OMNIWAX[®] Floor Wax****B & S Products Corporation****1917 Eisenhower Drive N.****Goshen, IN 46526****Telephone: (574) 537-0770****Fax: (574) 537-0880****24-Hour Emergency Telephone: (800) 255-3924 CHEM-TEL Inc.**

Date revised: 8/20/12

This MSDS complies with 29 CFR 1910.1200 (The Hazard Communication Standard)

Section 1 - Product Identification

General or Generic ID: Aliphatic Hydrocarbon

DOT Hazard Classification: Combustible, packaging group III

Section 2 - Hazardous Components

If present, IARC, NTP and OSHA carcinogens and chemicals subject to the reporting requirements of SARA Title III Section 313 are identified in this section.

Ingredient	% (by WT)	PEL	TLV	CAS Number
Mineral Spirits	97	100 ppm	100 ppm	8052-41-3

NFPA Codes: Health - 0 Flammability - 2 Reactivity - 0**Section 3 - Physical Data**Specific Gravity(H₂O = 1):) 0.772

Vapor Pressure: 2.00

Specific Vapor Density (Air = 1): 4.9

Percent Volatiles: 97.00%

Evaporation Rate (Ethyl Ether = 1): 70.00

Appearance: White

State: Liquid

Continued on page: 2

Section 4 - Fire and Explosion Information

Flash Point (TCC): 105 °F

Explosive Limit: Lower - 1.0% Upper - 6.0%

Extinguishing Media: Regular foam or dry chemical or carbon dioxide

Hazardous decomposition Products: May for toxic materials: carbon dioxide, carbon monoxide, various hydrocarbons, etc.

Firefighting Procedures: Wear self-contained breathing apparatus with a full facepiece operated in the positive pressure demand mode when fighting fires.

Special Fire & Explosion Hazards: None known

NFPA Codes: Health - 0 Flammability - 2 Reactivity - 0

.....

Section 5 - Health Hazard Data

Permissible Exposure Level: 100 ppm

Threshold Limit Values: 100 ppm

See Section 2

Effects of Acute Overexposure: N/A

First Aid:

If on skin: Wash exposed area with soap and water. If symptoms persist, seek medical attention.

If swallowed: Do not induce vomiting. If individual is drowsy or unconscious, place on left side with head down. Seek medical attention. If possible, do not leave individual unattended.

Primary route(s) of entry: Skin contact, skin absorption and swallowing.

Effects of chronic overexposure: N/A

Note to physicians: Preexisting disorders of the following organs (or organ systems) may be aggravated by exposure to this material: skin, kidney.

.....

Section 6 - Reactivity Data

Hazardous polymerization: Cannot occur

Stability: Stable

Incompatibility: Strong oxidizing agents

.....

Section 7 - Spill or Leak Procedure

Steps to be taken in case material is released or spilled: Scoop up with shovel and discard in proper container.

Waste disposal method: Dispose of in accordance with all local, state and federal regulations.

.....

Section 8 - Protective Equipment to be Used

Respiratory protection: N/A

Ventilation: None

Protective gloves: Resistant gloves

Eye protection: Safety glasses

Other protective equipment: None

.

Continued on page: 3

Section 9 - Special Precautions or Other Comments

Precautions to be taken in handling and storage: Do not store above 100 °F. Keep containers away from sources of ignition.

Other precautions: Read and follow directions on product label.

We believe the recommendations and technical information contained herein to be accurate. However, they are given without warranty or guarantee, expressed or implied, and we assume no responsibility for losses or damages, direct or indirect, as a result of their use.