

MATERIAL SAFETY DATA SHEET

Information Telephone Number (973) 772-5252

ALL CHEMICAL EMERGENCIES

1-800-424-9300 - USA 1-703-527-3887 - International

Issue Date: "514237 **SECTION I - PRODUCT IDENTIFICATION** Alexander, Alicon, Nury, Accent, Starlight, Mountain, Tropical, Sparkle, Spray Chip2, Product Code: Custom Trade Name: SAFASIL Product Class: N/A C.A.S. Number: Mixture **SECTION II - INGREDIENTS** Ingredients Max. Content **Exposure Limits** CAS# Galaxy Granules N/A Proprietary N/A Hazardous: 999-97-3 Hexamethyldisilazane 25 **35 PPM** Methyltrimethoxysilane 1185-55-3 1-5 N/A Non-Hazardous: ME-Dimethoxy/STPD Polydime-Siloxane 68037-58-1 60-80 N/A Dimethylpolysiloxane 63148-62-9 10-30 N/A Tetramer Treated Fumed Silica 68583-49-3 10-30 15 MG/M3 SECTION III - PHYSICAL DATA N/A Vapor Density: **Boiling Point:** N/A Specific Gravity (water=1): Vapor Pressure: 1.05 N/A Solubility in Water: Reactivity in Water: None Insoluble Solid with colored particles V.O.C. Excl H2O: Appearance: <38 %Volatile by volume: <3.60 Odor: Ammonia Solubility in Organic Solvent: Partial, Toluene SECTION IV - FIRE AND EXPLOSION HAZARD DATA

Flammability Class:	N/A	Flash Point:	N/A	
UEL:	N/A	LEL:	N/A	
- EXTINGUISHING MEDIA:		Any suitable for fire in surrounding area		
- SPECIAL FIRE FIGHTING PROCEDURE:		None known.		
- UNUSUAL FIRE & EXPLOSION HAZARDS:		None known.		

Page 1

SECTION V - HEALTH HAZARD DATA

Chronic: - SIGNS AND SYMPTO - MEDICAL CONDITIO	Not established MS OF EXPOSURE: NS GENERALLY AGGRAVATEI	Acute: D BY EXPOSURE	2:	None Known N/A Not established
- NATIONAL TOXICOI - IARC MONOGRAPHS - OSHA: - PRIMARY ROUTE(S) 1. Inhalation -	:	YES YES YES 2. Eyes - Uncure	_x_NO _x_NO _x_NO	contact irritates eyes.

SECTION VI - REACTIVITY DATA

STABILITY: _x_Stable Unstable HAZARDOUS POLYMERIZATION: x May NOT occur May occur INCOMPATIBILITY: None Known Vapor and/or liquid react with water to form ammonia. CONDITIONS TO AVOID: HAZARDOUS THERMAL DECOMPOSITION PRODUCTS/COMBUSTION PRODUCTS: Carbon Monoxide, Carbon Dioxide, Silicon Dioxide, Methanol, Ammonia.

SECTION VII - SPILL OR LEAK PROCEDURES

- STEPS TO TAKE IN CASE MATERIAL IS RELEASED OR SPILLED:

Wipe, scrape or soak up in an inert material and put in a container for disposal. Wash walking surfaces with detergent and water to reduce slipping hazard. Wear proper protective equipment as specified. -WASTE DISPOSAL METHOD:

Dispose of waste according to Federal EPA and local regulation (800-424-9346 or 202-382-3000). - PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE:

Keep container closed when not in use. Avoid contact with skin and eyes. Remove contact lenses before using sealant. Do not handle lenses until all sealant has been cleaned from the fingertips, nails and cuticles. Residual sealant may remain on fingers for several days and transfer to lenses and cause severe eye irritation. Use mechanical ventilation to stay below TLV of 25 ppm ammonia. Product releases methanol during application and curing. (methanol TLV=200 ppm). Product releases ammonia during application and curing. Uncured product contact irritates eyes. Uncured product contact may irritate skin.

SECTION VIII - SPECIAL PROTECTION INFORMATION

- RESPIRATORY PROTECTION:	Use in well ventilated area.
- VENTILATION:	General ventilation is required during normal use
- PROTECTIVE GLOVES:	Cloth gloves.
- EYE PROTECTION:	Safety glasses.
- OTHER PROTECTIVE EQUIP:	None
- WORK/HYGIENIC PRACTICES:	Use of adequate ventilation

SECTION VIII - SPECIAL PROTECTION INFORMATION cont'd

- EMERGENCY & FIRST AID PROCEDURE: EYE CONTACT:

EYE CONTACT:	In case of contact, immediately flush eyes with plenty of water
	for at least 15 minutes and get medical attention if irritation
	persists.
INGESTION:	Rinse mouth with water several times.
SKIN:	To clean from skin, remove completely with a dry cloth or paper towel, before washing with detergent and water. Get
	medical attention if irritation persists.
INHALATION:	Move person to fresh air.

SECTION IX - SUPPLEMENTAL INFORMATION

DOT Shipping Name: DOT Hazard Class: DOT Lable(S) UN/NA Number: Placards: IATA: IMO IMDG-code: EMS No: European Class: RID, ADR, RAR: Harmonized Code (Schedule B): SARA Section 302: SARA (311, 312) Hazard Class: SARA (313) Chemicals: N/A Not DOT regulated N/A N/A N/A N/A N/A N/A 3214.10.0000 Maestic Based Rubber None found Acute Health Hazard None

This information is furnished without warranty, representation, inducement or license of any kind, except that it is accurate to the best of Safas Corporation's knowledge or obtained from sources believed by Safas Corporation to be accurate. Safas Corporation does not assume any responsibility for use or reliance upon same. Customers are encouraged to conduct their own tests. BEFORE USING ANY PRODUCT, READ ITS LABEL.