



MATERIAL SAFETY DATA SHEET

Revision Date: 06/14/2005

MSDSUSA/ANSI/EN/150000000135/Version 6.1

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name	Eastman(TM) TXIB(TM) Plasticizer
Product Identification Number(s)	01315-00, P0131501, P0131502, P0131503, P0131504, P0131505, P0131506, P0131507, P0131508, P0131509, P013150A, P0131510, P0131511, P0131512, P0131500, P01315A0, E01315E1, E01315E2, P013150C, P013150B, P013150Z
Manufacturer/Supplier	Eastman Chemical Company 200 South Wilcox Drive Kingsport, TN 37660-5280 US +14232292000
MSDS Prepared by	Eastman Product Safety and Health
Chemical Name	2,2-dimethyl-1-(methylethyl)-1,3-propanediyl bis(2-methylpropanoate)
Synonym(s)	01315-00 002800
Molecular Formula	C ₁₆ H ₃₀ O ₄
Molecular Weight	286.42
Product Use	plasticizer
OSHA Status	nonhazardous

For emergency health, safety & environmental information, call 800-EASTMAN.

For emergency transportation information, call CHEMTREC at 800-424-9300 or call 800-EASTMAN.

2. COMPOSITION INFORMATION ON INGREDIENTS

(Typical composition is given, and it may vary. A certificate of analysis can be provided, if available.)

Weight %	Component	CAS Registry No.
100%	2,2,4-trimethyl-1,3-pentanediol diisobutyrate	6846-50-0

3. HAZARDS IDENTIFICATION

WARNING!
CAN DECOMPOSE AT ELEVATED TEMPERATURES

HMIS® Hazard Ratings: Health - 1, Flammability -1, Chemical Reactivity - 1

HMIS® rating involves data interpretations that may vary from company to company. They are intended only for rapid, general identification of the magnitude of the specific hazard. To deal adequately with the safe handling of this material, all the information contained in this MSDS must be considered.



MATERIAL SAFETY DATA SHEET

Revision Date: 06/14/2005

MSDSUSA/ANSI/EN/150000000135/Version 6.1

4. FIRST-AID MEASURES

Inhalation: If symptomatic, move to fresh air. Get medical attention if symptoms persist.

Eyes: Any material that contacts the eye should be washed out immediately with water. If easy to do, remove contact lenses. Get medical attention if symptoms persist.

Skin: Wash with soap and water. Get medical attention if symptoms occur.

Ingestion: Seek medical advice.

5. FIRE FIGHTING MEASURES

Extinguishing Media: water spray, dry chemical, carbon dioxide, foam

Special Fire-Fighting Procedures: Wear self-contained breathing apparatus and protective clothing. Use water spray to keep fire-exposed containers cool.

Hazardous Combustion Products: carbon dioxide, carbon monoxide

Unusual Fire and Explosion Hazards: Elevated temperatures can cause decomposition.

6. ACCIDENTAL RELEASE MEASURES

Absorb spill with vermiculite or other inert material, then place in a container for chemical waste.

For Large Spills: Flush spill area with water spray. Prevent runoff from entering drains, sewers, or streams. Dike for later disposal.

7. HANDLING AND STORAGE

Personal Precautionary Measures: No special precautionary health measures should be needed under anticipated conditions of use.

Prevention of Fire and Explosion: Keep from contact with oxidizing materials. Exercise caution if heating, especially in a closed container.

Storage: Keep container closed.

Additional Information: Store in a cool place.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Country specific exposure limits have not been established or are not applicable unless listed below.

Ventilation: Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. Supplementary local exhaust ventilation, closed systems, or respiratory and eye protection may be needed in special circumstances; such as poorly ventilated spaces, heating, evaporation of liquids from large surfaces, spraying of mists, mechanical generation of dusts, drying of solids, etc.

Respiratory Protection: If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where



MATERIAL SAFETY DATA SHEET

Revision Date: 06/14/2005

MSDSUSA/ANSI/EN/150000000135/Version 6.1

exposure limits have not been established), an approved respirator must be worn. In the United States of America, if respirators are used, a program should be instituted to assure compliance with OSHA Standard 63 FR 1152, January 8, 1998. Respirator type: Air-purifying respirator with an appropriate, government approved (where applicable), air-purifying filter, cartridge or canister. Contact health and safety professional or manufacturer for specific information.

Eye Protection: It is a good industrial hygiene practice to minimize eye contact.

Skin Protection: It is a good industrial hygiene practice to minimize skin contact.

Recommended Decontamination Facilities: eye bath, washing facilities

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical Form: liquid

Color: colorless

Odor: slight

Specific Gravity: 0.942 - 0.948 (20 °C)

Vapor Pressure: 25 °C; 0.004 mbar

Vapor Density: 9.9

Melting Point: -70 °C

Boiling Point: 281.5 °C

Viscosity: 9 mPa.s (25 °C) ,

Solubility in Water: negligible

Octanol/Water Partition Coefficient: P: 1,258,925; log P: 6.1 (estimated)

Flash Point: 128 °C (Pensky-Martens closed cup)

Autoignition Temperature: 424 °C (ASTM D2155)

Thermal Decomposition Temperature: 410.68 °C ; 291.5 J/g (DSC)

10. STABILITY AND REACTIVITY

Stability: Stable. Material can decompose at elevated temperatures. Use caution when storing or processing material above 212 °C.

Incompatibility: Material reacts with strong oxidizing agents.

Hazardous Polymerization: Will not occur.

11. TOXICOLOGICAL INFORMATION

Acute toxicity data, if available, are listed below. Additional toxicity data may be available on request.

Oral LD-50:(rat)	>3.2 g/kg(highest dose tested)
Oral LD-50:(mouse)	>6.4 g/kg(highest dose tested)
Inhalation LC-50: (rat)	6 h: >5.3 mg/l (highest dose tested)
Dermal LD-50: (guinea pig)	> 18.9 g/kg (highest dose tested)
Skin Irritation (guinea pig)	slight
Eye Irritation (rabbit)	slight
Skin Sensitization: (guinea pig)	none



MATERIAL SAFETY DATA SHEET

Revision Date: 06/14/2005

MSDSUSA/ANSI/EN/150000000135/Version 6.1

12. ECOLOGICAL INFORMATION

Acute toxicity data, if available, are listed below. Additional toxicity data may be available on request.

Oxygen Demand Data:

BOD-5 and BOD-20 were not determined because the aqueous solubility of the test article was below that which is required for these tests.

ThBOD: 2.40 g/g

Acute Aquatic Effects Data:

96 h LC-50 (fathead minnow): > 1.55 mg/l NOEC: 1.55 mg/l (highest concentration tested), (limit of solubility in fresh water)

96 h LC-50 (sideswimmer): > 1.55 mg/l NOEC: 1.55 mg/l (highest concentration tested), (limit of solubility in fresh water)

96 h LC-50 (ramshorn snail): > 1.55 mg/l NOEC: 1.55 mg/l (highest concentration tested), (limit of solubility in fresh water)

96 h LC-50 (aquatic earthworm): > 1.55 mg/l NOEC: 1.55 mg/l (highest concentration tested), (limit of solubility in fresh water)

96 h LC-50 (pill bug): > 1.55 mg/l NOEC: 1.55 mg/l (highest concentration tested), (limit of solubility in fresh water)

96 h LC-50 (flatworm): > 1.55 mg/l NOEC: 1.55 mg/l (highest concentration tested), (limit of solubility in fresh water)

48 h EC-50 (daphnid): > 1.46 mg/l NOEC: 1.46 mg/l (highest concentration tested), (limit of solubility in fresh water)

13. DISPOSAL CONSIDERATIONS

Discharge, treatment, or disposal may be subject to national, state, or local laws. Incinerate.

14. TRANSPORT INFORMATION

Important Note: *Shipping descriptions may vary based on mode of transport, quantities, package size, and/or origin and destination. Consult your company's Hazardous Materials/Dangerous Goods expert for information specific to your situation.*



MATERIAL SAFETY DATA SHEET

Revision Date: 06/14/2005

MSDSUSA/ANSI/EN/150000000135/Version 6.1

DOT (USA)

Class not regulated

Sea - IMDG (International Maritime Dangerous Goods)

Class not regulated

Air - ICAO (International Civil Aviation Organization)

Class not regulated

15. REGULATORY INFORMATION

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

WHMIS (Canada) Status: noncontrolled

SARA 313: none, unless listed below

Carcinogenicity Classification (components present at 0.1% or more): none, unless listed below



MATERIAL SAFETY DATA SHEET

Revision Date: 06/14/2005

MSDSUSA/ANSI/EN/150000000135/Version 6.1

TSCA (US Toxic Substances Control Act): This product is listed on the TSCA inventory. Any impurities present in this product are exempt from listing.

DSL (Canadian Domestic Substances List) and CEPA (Canadian Environmental Protection Act):

This product is listed on the DSL. Any impurities present in this product are exempt from listing.

EINECS (European Inventory of Existing Commercial Chemical Substances): This product is listed on EINECS or otherwise complies with EINECS requirements.

AICS / NICNAS (Australian Inventory of Chemical Substances and National Industrial Chemicals Notification and Assessment Scheme): This product is listed on AICS or otherwise complies with NICNAS.

MITI (Japanese Handbook of Existing and New Chemical Substances): This product is listed in the Handbook or has been approved in Japan by new substance notification.

ECL (Korean Toxic Substances Control Act): This product is listed on the Korean inventory or otherwise complies with the Korean Toxic Substances Control Act.

Philippines Inventory (PICCS) : This product is listed on the Philippine Inventory or otherwise complies with PICCS.

Inventory of Existing Chemical Substances in China: All components of this product are listed on the Inventory of Existing Chemical Substances in China (IECSC).

16. OTHER INFORMATION

Visit our website at www.EASTMAN.com or call 001-423-229-2000.

The information contained herein is based on current knowledge and experience; no responsibility is accepted that the information is sufficient or correct in all cases. Users should consider these data only as a supplement to other information. Users should make independent determinations of suitability and completeness of information from all sources to assure proper use and disposal of these materials, the safety and health of employees and customers, and the protection of the environment.

Highlighted areas indicate new or changed information.